

IT EXPRESSWAY LIMITED (ITEL)

(A Special

IT EXPRESSWAY LTD

Section I

Instructions to Bidders

equipment capabilities and other relevant

undertaking

15 Earnest Money Deposit (EMD)

- 15.1 The proposals duly filled in the required format must reach the Office of ITEL, Egmore, Chennai - 600008 on or before **15.00 hrs, on 28th December, 2012** along

17.8

Section

24.2 Subject to sub-clause 24.1, no Bidder shall contact the Employer/ its representatives on any matter relating to the Bid on any matter relating to the Bid.

24.2

24.2

Section

Section

2. BIDDER, QUALIFICATION AND OTHER

4. SPECIMEN FORMAT FROM BIDDER TO BANKERS AUTHORISING THEM

LETTER OF FINANCIAL BID

(Letterhead of the Bidder)

[date]

General Manager (Projects) / ITEL
IT Expressway Limited
Sindur Panthion Plaza,
2nd ^{fl}

Contract Price or such other sum as may become payable under the provisions of the

Section II: Forms of Bid & Forms of SecuriBid -&i

3. Confirmation Letter

4.

Section III

Conditions of Contract

SSS8 4(ec)-23(t)8(10)8(n)8(III.)] TJ ET QT 0 0 0 rg /F1 8.3710.37793.3255.84 732[(S)-6 \$CONDITION(8 4(U)13(F)-14(C)3(U)13(N)3
STEL
S
S8 Td [(4(c)23(t)-3(i)-30(o)50(n8 Td)] TJ ET QT 0 0 0 rg /F1 8.572 Tf 93.3126Td [48 Td [(S)-<96>] TJ ET QT 0 0 0 rg /F1 8.572 Tf 93.

“Engineer Representative” means a person appointed from time to time by the Engineer under Sub-clause 5.1.

Equipment is the Contractor's plant / machineries and vehicles brought temporarily

Section – III Conditions of Contract

Section –

Section – III Conditions of Contract

19.0 Discoveries

19.1 Anything of historical or other interest or of significant value unexpectedly discovered

Section –

Employer will make payment

will have to pay for the performance of this Contract. The Employer will perform such duties in regard to the deduction of such

48. Securities

48.1 The Performance Security (including additional security for unbalanced bids) shall be provided to the Employer not later than the date specified in the Letter of Award and shall be issued in an amount and form indicated in Contract Data from:

- a. State Bank of India or subsidiaries;
- b. Any Indian Nationalised Bank; or
- c. Any Scheduled Bank

as acceptable to the Employer, and denominated in Indian Ruuhbe

54.3

APPENDIX 1

IV Safety Measures

1. All the works to be carried out in and around the work site, it must be under the contractors supervision with their supervisor, at their own risk and cost
- 2.

VII List of Safety equipments to be provided by the contractor

SI No

Secti

APPENDIX 3

Tax Registration 14(0(un)6m)-9(bo)-10es

Section IV

Contract Data

The Site is “

In

In

SI No	TNBP No./NBC No.	Description of Item	Unit	Quantity	Rate (Rs)		Amount (Rs)
					In Figures	In Words	

Providing form work for centering, shuttering etc., for all RCC works including strutting up to 3.29m in all floors using mild steel sheets of size 90x60cm of B.G 10 stiffened with mild steel angles of size

**In
Figures**

SI No	TNBP No./NBC No.	Description of Item	Unit	Quantity	Rate (Rs)		Amount (Rs)
					In Figures	In Words	

SI No	TNBP No./NBC No.	Description of Item	Unit	Quantity	Rate (Rs)		Amount (Rs)
					In Figures	In Words	

SI No	TNBP No./NBC No.	Description of Item	Unit	Quantity	Rate (Rs)		Amount (Rs)
					In Figures	In Words	

Supplying and laying hydraulically

Unit

**In
Figures**

In Words

Amount (Rs)

SI No	TNBP No./NBC No.	Description of Item	Unit	Quantity	Rate (Rs)		Amount (Rs)
					In Figures	In Words	

32 Electrical
standard

In

**In
Figures**

In Words

**In
Figures**

SI No	TNBP No./NBC No.	Description of Item	Unit	Quantity	Rate (Rs)		Amount (Rs)
					In Figures	In Words	

In Figures	In Words	Amount (Rs)
-----------------------	-----------------	--------------------

Section VI

q BT 0 03Tf 9- 0 0 0g /F3 31.92 Tf 1.28

PREAMBLE

1

RISK INSURANCE

14 (v). The work executed by the contractor or under this contract shall be maintained

4. LATRINES AND URINALS

4.1. There shall be provided within the premises of every work place latrines and urinals in an accessible place and the accommodation separately for each of them shall be on the following scale or on the scale so directed by the plohee

9. Initial of Engineer in charge and the contractor's authorized agent in whose presence the sample is taken.
10. Result of 7 days test.
11. Result of 28 days test.
12. Review and remarks by Engineer in charge.

EXTRACT OF:

NATIONAL BUILDINGS CODE OF BJT 0 0 0 rg6.2(s)43(t)24i R2

4.3.2. Controlled Concrete:

should also preferably be determined from the volume specified in table 99312(e)153n a-12(nd12(e)-7()-50(t)-3

TABLE.1.

STRENGTH REQUIREMENTS OF CONCRETE

(CLAUSE 4.2.2.1 AND 4.2.2.2.)

(All values in Kgs / Cm. Sq.)

Grade of compressive strength of 15cm cubes at 28 days after mixing concrete
conducted in accordance with good practice VI.5 (4). *

1 .	Preliminary tests min. 2	Work test Min3
M100	135	1.37

good practice (VI - 5 - (2)). These graphs have been given in Appendix - A. As there would be some assistance in obtaining t

3. The fixing of water closet shall include the dismantling of existing floor however indicated making holes in necessary walls etc. and restoring structure to original condition after completion of the work. The flushing tank and accessories will be fixed to the walls with necessary clamps and brackets in C.M. 1:4.

ADDITIONAL CONDITIONS

The tenderer shall ensure that no damage is caused to the existing structure / building whether it is Government owned or private owned etc. in the adjacent areas in close proximity to the proposed site. And if any damage is caused due to pipe driving etc. to the adjacent buildings it shall be rectified / compensated by the tenderer at his own cost to the satisfaction of departmental officer30(u)12(r)07(t. ET Q q BT 0)-28(o)-2(f)-2-31(s)-26(h)23(e)-.11(i)-31(n)23()-.16